INORGANICA CHIMICA ACTA VOLUME 214, NUMBERS 1–2, DECEMBER 1993

Contents

Preliminary Communications

Specific recognition of copper ion by lipid-bound double armed crown ether 1
H. Tsukube, T. Hamada, T. Tanaka and J. Uenishi (Okayama, Japan)

Synthesis, crystal structure and properties of a new binuclear iron(III) complex as a model for the purple acid phosphatases 5
A. Neves, M.A. de Brito, I. Vencato, V. Drago (Florianópolis, SC, Brazil), K. Griesar, W. Haase (Darmstadt, Germany) and Y.P. Mascarenhas (São Carlos, SP, Brazil)

Chemistry of silicon–sulfur compounds
Part 64. Crystal and molecular structure of (tri-tert-butoxysilanethiolato)bis(triphenylphosphine)copper(I) $(t\text{-}C_4H_9O)_3SiSCu[P(C_6H_5)_3]$ 9
B. Becker, W. Wojnowski (Gdansk, Poland), K. Peters, E.-M. Peters and H.G. von Schnering (Stuttgart, Germany)

Dimerization of the stellated octahedral unit $Co_6S_8P_6$: synthesis and X-ray crystal structure of $[Co_{12}(\mu_3\text{-}S)_{14}(\mu_4\text{-}S)_2(PEt_3)_{10}][TCNQ]_2$, where TCNQ = tetracyanoquinodimethane. 13
F. Cecconi, C.A. Ghilardi, S. Midollini and A. Orlandini (Florence, Italy)

Polyhedral metallacarbathiaborane chemistry. Designed synthetic routes to nine-vertex mixed diheteromonometallaborane cluster compounds 17
K. Nestor, J.D. Kennedy (Leeds, UK), J. Holub and B. Štíbr (Řež, Czech Republic)

The synthesis and single-crystal X-ray structure of $[\{Os_3H(CO)_{10}\}_3(S_3C_3N_3)]$; a novel osmium cluster containing three linked osmium triangles 21
E.W. Ainscough, A.M. Brodie, R.K. Coll, A.J.A. Mair and J.M. Waters (Palmerston North, New Zealand)

Articles

Properties of triethylphosphite complexes of pentacyanoferrate(II) and (III). Cyanide photolabilization in a pentacyanoferrate(II) complex with a monodentate ligand 23
L.C.G. Vasconcellos, K.S.M. Ferreira, L.M.A. Plicas, A.A. Batista (São Carlos, SP, Brazil), I.d.S. Moreira (Fortaleza, CE, Brazil), E. Tfouni (Ribeirão Preto, SP, Brazil) and D.W. Franco (São Carlos, SP, Brazil)

SOD-like activity of complexes of nickel(II) ion with some biologically important peptides and their novel reactions with hydrogen peroxide 29
J. Ueda, T. Ozawa (Chiba-shi, Japan), M. Miyazaki and Y. Fujiwara (Tokyo, Japan)

Synthesis and properties of a binuclear (μ-oxo) diiron(III) complex containing a tripodal polybenzimidazole ligand 33
R.M. Buchanan, R.J. O'Brien, J.F. Richardson (Louisville, KY, USA) and J.-M. Latour (Grenoble, France)

Ruthenium carbonyl complexes of N-heterocyclic molecules
Part 3. Synthesis of ruthenium complexes of the ambidentate ligand 4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole (APT). X-ray crystal structures of two coordination isomers of $Ru(CO)_2Cl_2(APT)$ 41
A.L. Rheingold (Newark, DE, USA), P. Saisuwan and N.C. Thomas (Montgomery, AL, USA)

Siderophore analogues. Chelating properties of a new cyclic diaza-dihydroxamic acid 47
M.A. Santos, M.A. Esteves, M.C.T. Vaz and M.L.S. Simões Gonçalves (Lisbon, Portugal)

Proton, copper(II) and nickel(II) complexes of some Amadori rearrangement products of D-glucose and amino acids 57
B. Gyurcsik, T. Gajda, L. Nagy, K. Burger (Szeged, Hungary), A. Rockenbauer and L. Korecz, Jr. (Budapest, Hungary)

Dinuclear copper(II) and copper(I) complexes of tetradentate (N_4) thio-diazine ligands; synthetic, structural, magnetic and electrochemical studies. *In situ* oxidation of copper(I) complexes to produce dinuclear hydroxo-bridged copper(II) complexes 67
L. Chen, L.K. Thompson and J.N. Bridson (St. John's, Nfld., Canada)

Complexation of cobalt(II), nickel(II) and copper(II) by the pendant arm macrocyclic ligand *N,N',N'',N'''*-tetrakis(2-hydroxyethyl)-1,4,8,11-tetraazacyclotetradecane 77
B. Dey, J.H. Coates, P.A. Duckworth, S.F. Lincoln and K.P. Wainwright (Adelaide, SA, Australia)

Elsevier Sequoia

Reactivity of $[Pt(CH_2{=}CH_2)(PPh_3)_2]$ toward ethyldiazocetate. Synthesis and molecular structure of the diethyl fumarate complex $[Pt\{trans\text{-}CH(CO_2Et){=}CH(CO_2Et)\}(PPh_3)_2]$ and preparation of the analogous diethyl maleate compound 85
M.F.C. Guedes da Silva, J.J.R. Fraústo da Silva, A.J.L. Pombeiro (Lisbon, Portugal), R. Bertani, R.A. Michelin, M. Mozzon, F. Benetollo (Padua, Italy) and G. Bombieri (Milan, Italy)

Synthesis and characterization of dicopper(II,II) and diiron(III,III) complexes with a dinucleating tetraimidazole ligand, 1,5-bis[bis(4-imidazolylmethyl)amino]-3-pentanol 97
M. Kodera (Kyoto, Japan), N. Koura, S. Hosohara, M. Nishimura, M. Ohba, H. Okawa (Fukuoka, Japan) and S. Kida (Kumamoto, Japan)

Potentiometric and spectrophotometric determination of stabilities of the 1-hydroxy-2-pyridinone complexes of trivalent and divalent metal ions 103
Y.J. Li and A.E. Martell (College Station, TX, USA)

The electronic structure of $Co_4(CO)_{12}$ and $Co_3S(CO)_9$ 113
O.V. Sizova and V.I. Baranovski (Saint Petersburg, Russian Federation)

Manganese-mediated synthesis of *cis*-disubstituted cyclohexadienes via double nucleophilic addition to coordinated arenes 125
T.-Y. Lee, Y.K. Kang, Y.K. Chung (Seoul, South Korea), R.D. Pike and D.A. Sweigart (Providence, RI, USA)

Preparation and molecular structure of a cobalt(III) complex with a sexidentate pyridoxal derivative [Co(Htpdh)] (tpdh = 1,3,4,6-tetrakis[4-(2-methyl-3-hydroxy-5-hydroxymethyl)pyridyl]-2,5-diaza-1,5-hexadiene) 135
K. Okamoto, M. Madoka, T. Konno and J. Hidaka (Ibaraki, Japan)

Vanadium(V) complexes of sulfonated 1,5,10-tris(2,3-dihydroxybenzoyl)-1,5,10-triazadecane as catalysts for the Stretford process 141
A.K. Jhanji and C.J. Carrano (San Marcos, TX, USA)

Substituent effects on the physical properties of (μ-oxo)(μ-carboxylato)bis{tris(2-pyridylmethyl)aminechromium-(III)}dimers 145
T.F. Tekut (Lubbock, TX, USA), C.J. O'Connor (New Orleans, LA, USA) and R.A. Holwerda (Lubbock, TX, USA)

Crystal structure, magnetic properties and orbital interactions of the binuclear fumarato-bridged bis[(*N*-(2-diethylamino)-ethyl)salicylidenaminato)copper(II)] complex 153
C.E. Xanthopoulos, M.P. Sigalas, G.A. Katsoulos, C.A. Tsipis (Thessaloniki, Greece), A. Terzis and A. Hountas (Athens, Greece)

Synthesis, structure and spectroscopic properties of bismuth citrate compounds
Part II. Comparison between crystal structures of solid bismuth citrates and commercial CBS, using thermal and spectroscopic methods 159
E. Asato (Leiden, Netherlands), C.M. Hol (Delft, Netherlands), F.B. Hulsbergen (Leiden, Netherlands), N.T.M. Klooster (Delft, Netherlands) and J. Reedijk (Leiden, Netherlands)

Sterically restrictive metal complexes. The synthesis and structural characterization of (1,2-bis(6-methylpyridin-2-yl)ethane-*N*,*N*')(malonato)palladium(II) trihydrate. Proton NMR binding studies to cytosine and guanine derivatives 169
A.T. Baker, J.K. Crass (Broadway, NSW, Australia), G.B. Kok (Parkville, Vic., Australia), J.D. Orbell and E. Yuriev (St. Albans, Vic., Australia)

Notes

Mono- versus dinuclear cobalt complexes of a binucleating Schiff base ligand 177
S. Sandí-Ureña and E.J. Parsons (Clemson, SC, USA)

Ligand behaviour of a bis-pyridazinecarboxamide nickel(II) complex towards metal 1,1-dithiolates. Formation of pyridazine-bridged complexes $Ni(bpdpn)Ni(R_2dtp)_2$ ($H_2bpdpn = N,N'$-bis(3'-pyridazinecarboxamide)-1,3-propane; $R_2dtp^- =$ dialkyldithiophosphate) 181
Md.A.A. Miah and D.J. Phillips (Kensington, Queensland, Australia)

Coordination behaviour of Ar-SO_2-*N*-amino acids toward the Mn(II) ion. Crystal and molecular structure of $[Mn(tsgln)_2]$ and $[Mn(ts\text{-}DL\text{-}\alpha\text{-}ala)_2(H_2O)]\cdot 2.78H_2O\cdot 0.92CH_3OH$ 185
S. Brückner, L. Menabue, M. Saladini (Modena, Italy) and M. Tolazzi (Udine, Italy)

Appending two non-equivalent ferrocene fragments to a metallocyclam core 193
G. De Santis, L. Fabbrizzi, M. Licchelli, C. Mangano and P. Pallavicini (Pavia, Italy)

cis–trans Isomerism in tetrabromobis(1,3-dimethylurea)tin(IV) 197
D. Tudela and J.D. Tornero (Madrid, Spain)

Corrigendum 201
Conference Calendar 203
Author Index of Volume 214 205
Subject Index of Volume 214 207